



INLINE® MODULARKABEL, RJ45 ZU RJ11 STECKER / STECKER, 4ADRIG



Art. Nr.	Länge	EAN
18863	3 m	4043718030927
18866	6 m	4043718033126
18867	10 m	4043718033133
18868	15 m	4043718033140

- RJ45 Stecker an RJ11 Stecker
- 4 adrig belegt
- Belegung: 3-2, 4-3, 5-4, 6-5

18863





NOTE
1.ROHS Compliant


WIRING DIAGRAM			
PLUG1 (8P4C)		PLUG2 (6P4C)	
3	WHITE	2	
4	BROWN	3	
5	GREEN	4	
6	YELLOW	5	

6	PE BAGS	SPECIFICATINO:250×175×0.10	1
5	US PLUG	8P4C PLATE GLOD 3U" TRANSP ARENCE	1
4	Conductor	7×0.12	
3	INSULATION	PP OD: Ø0.98 COLOR:white,brown,green,yellow	
2	OUTSIDE	PVC (EB6-5003-S75black) OD: 4.8×2.2	
1	US PLUG	6P4C PLATE GLOD 3U" TRANSP ARENCE	1
NO.	MAT.NAME	DESCRIPTION	Q'TY

18866





NOTE
1.ROHS Compliant




6	PE BAGS	SPECIFICATINO:250×175×0.10	1	
5	US PLUG	8P4C PLATE GLOD 3U" TRANSP ARENCE	1	
4	Conductor	7×0.12		
3	INSULATION	PP OD: Ø0.98 COLOR:white,brown,green,yellow		
2	OUTSIDE	PVC (EB6-5003-S75black) OD: 4.8×2.2		BLACK
1	US PLUG	6P4C PLATE GLOD 3U" TRANSP ARENCE	1	
NO.	MAT.NAME	DESCRIPTION	Q'TY	REMRK

18867




NOTE
1.ROHS Compliant



6	PE BAGS	SPECIFICATINO:250×175×0.10	1	
5	US PLUG	8P4C PLATE GLOD 3U" TRANSP ARENCE	1	
4	Conductor	7×0.12		
3	INSULATION	PP OD: Ø0.98 COLOR:white,brown,green,yellow		
2	OUTSIDE	PVC (EB6-5003-S75black) OD: 4.8×2.2		BLACK
1	US PLUG	6P4C PLATE GLOD 3U" TRANSP ARENCE	1	
NO.	MAT.NAME	DESCRIPTION	Q'TY	REMRK

18868



⑧	EAN-code	4043718033140	
⑦	Labels	SPECIFICATINO:68*35	1
⑥	PE BAGS	PE Bag:250*175*0.10	1
⑤	US PLUG	6P4C PLATE GLOD 3U"	1
④	Conductor	AWG28 7*0.12CCA	
③	INSULATION	PP OD: ϕ98	
②	OUTSIDE	PVC BLACK OD:4.8*2.2	
①	US PLUG	8P4C PLATE GLOD 3U"	2
NO	MAT. NAME	DESCRIPTION	QT' Y

NOTES:
1.ROHS Compliant