



InLine USB Netzteil, GaN Ladegerät, 2x USB-C, 1x USB-A, mit Schutzkontaktbuchse

Marke : InLine

Artikel-Code: 31518I

Produktname : USB Netzteil, GaN Ladegerät, 2x USB-C, 1x USB-A, mit Schutzkontaktbuchse

InLine USB Netzteil, GaN Ladegerät, 2x USB-C, 1x USB-A, mit Schutzkontaktbuchse

InLine USB Netzteil, GaN Ladegerät, 2x USB-C, 1x USB-A, mit Schutzkontaktbuchse. Aufladetyp: Drinnen, Energiequelle: AC, Aufladekompatibilität: Universal. Eingangsspannung: 230 V, Maximale Ausgangsspannung: 20 V. Anzahl USB 2.0 Anschlüsse: 1, USB Typ-C Anzahl Anschlüsse: 2, Schnellladung, Energieschutzeigenschaften: Überspannung, Überhitzung, Kurzschluß. Kabellänge: 1,5 m, Produktfarbe: Weiß



Leistungen		Energie	
Aufladekompatibilität *	Universal	Ausgangsstrom (9V)	3 A
Energiequelle *	AC	Ausgangsstrom (12V)	3 A
Anzahl USB 2.0 Anschlüsse	1	Ausgangsstrom (bei 15 V)	3 A
USB Typ-C Anzahl Anschlüsse	2	Ausgangsstrom (bei 20 V)	3,25 A
Kabelloses Aufladen	✗	Ausgangsstrom Anschluss 1	5 A
Schnellladung	✓	Ausgangsstrom Anschluss 2	3 A
Schnellladetechnik	Power Delivery 3.0, Quick Charge 2.0, Quick Charge 3.0, Quick Charge 4, Quick Charge 4+	Anschluss 3 Ausgangsstrom	4,5 A
		Leistungsaufnahme (ohne Last)	0,18 W
Anzahl Fassungen	1	Stromstecker-Typ	Typ F
Buchsen-Typ	Typ F	Gewicht und Abmessungen	
Aufladetyp *	Drinnen	Breite	48 mm
Anzahl simultan anschließbarer Geräte (max) *	3	Tiefe	108 mm
USB Power Delivery	✓	Höhe	40 mm
USB-Stromversorgung Revision	3.0	Gewicht	421 g
Energieschutzeigenschaften	Überspannung, Überhitzung, Kurzschluß	Verpackungsdaten	
Design		Verpackungsbreite	110 mm
Produktfarbe *	Weiß	Verpackungstiefe	210 mm
Kabellänge	1,5 m	Verpackungshöhe	60 mm
LED-Anzeigen	✓	Verpackungsvolumen	1400 cm³
Galliumnitrid (GaN)-Transistoren	✓	Paketgewicht	525 g
Energie		Verpackungsart	Karton mit Aufhänger
Eingangsspannung	230 V	Lieferumfang	
Eingangsfrequenz	50/60 Hz	Einfahrbares Kabel	✗
Eingangsstrom	16 A	Zertifikate	
Max. Leistung	3680 W	Konformitätsbescheinigungen	cTUVus

Energie		Nachhaltigkeit	
Maximale Ausgangsspannung	20 V	Nachhaltigkeitskonformität	✓
Minimale Ausgangsspannung	3,3 V	Logistikdaten	
Anschluss 1 Ausgangsleistung	65 W	Ursprungsland	China
Anschluss 2 Ausgangsleistung	30 W	Sonstige Funktionen	
Anschluss 3 Ausgangsleistung	30 W	Abmessungen (BxTxH)	48 x 108 x 40 mm
Ausgangsstrom (5V)	4,5 A		



4043718316526

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.