



PERIBOARD-517

Water Proof IP65 Keyboard



- ▶ User Manual ▶ Bedienungsanleitung ▶ manual de instrucciones
- ▶ Mode D'Emploi ▶ Manuale Utente ▶ 取扱説明書
- ▶ 产品说明书 ▶ 使用手冊





Perixx's warranty obligations are limited to the terms set forth below. Perixx warrants this hardware product against defects in materials and workmanship for a period of one (1) year from the date of original invoice.

If you discover a defect, Perixx will either repair or replace the product free of charge. You must contact Perixx for a Return Merchandise Authorization number (RMA) prior to returning any product. For each product returned for warranty service, please include your name, shipping address (no P.O. Box), telephone number, copy of the bill of sale as proof of purchase and make sure that the package is clearly marked with your RMA number.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, WHETHER WRITTEN, ORAL, EXPRESS OR IMPLIED. PERIXX SPECIFICALLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING AND WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. NO PERIXX DEALER, AGENT, OR EMPLOYEE IS AUTHORIZED TO MAKE ANY MODIFICATION, EXTENTION OR ADDITION TO THIS WARRANTY.

PERIXX IS NOT RESPONSIBLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY BREACH OF WARRANTY, OR UNDER ANY LEGAL THEORY, INCLUDING BUT NOT LIMITED TO LOST PROFITS, DOWNTIME, GOODWILL, DAMAGE TO OR REPLACEMENT OF EQUIPMENT OR PROPERTY AND ANY COST OF RECOVERING, REPROGRAMMING OR REPLRODUCING ANY PROGRAM OR DATA STORED IN OR USED WITH PERIXX PRODUCTS. PERIXX'S MAXIMUM LIABILITY FOR ANY AND ALL DAMAGES ARISING OUT OF USE OF THE PRODUCT SHALL BE LIMITED TO THE AMOUNTS PAID BY PURCHASER FOR SUCH PRODUCT.





Caution

- The manufacturer and re-resellers are not responsible for any malfunctions, damage, or personal injury incurred by:
 - ▶ A misuse of the product
 - ▶ Any attempt to dismantle, change or modify the product in any manner
- You are cautioned that changes or modifications not expressly approved by the party responsible for the compliance could void your authority to operate the equipment.
- Mandatory repair charges are required for the following conditions, within the guarantee period:
 - ▶ Malfunction or damage is due to misuse or improper alteration or repair.
 - ▶ Malfunction or damage caused by the falling after the purchase.
 - ▶ Malfunction or damage is caused by a fire, salt, gas, earthquake, lighting, wind, water, or other natural calamities, or abnormal voltage.
 - ▶ Malfunction or damage is caused by other devices connected to the keyboard.
- All brand names, trademarks and logos are the properties of their respective owners.

Please Note: Long-term repetitive use of any keyboard could cause injury to user. Perixx recommends users avoid excessive use of this or any keyboard.



Product illustration





Product specification

Model	PERIBOARD-517
Color	Black
Interface	USB2.0/1.1
Size	450*166*40mm(L*W*H)
Weight	1100±20g
Cable Length	1.8M
Anti-ghosting	24 keys
Material	PC, ABS, Silicon and metal Logo
OS requirement	Win XP and above



Table of Content

ENGLISH	7
DEUTSCH	8
ESPAÑOL	9
FRANÇAIS	10
ITALIANO	11
日本語	12
簡中	13
繁中	14



English(US/UK)

Introduction




Thank you for purchase with Perixx product. This keyboard has been designed for use in many different environments such as hospitals, government offices, schools, and more. The treated antimicrobial coating provides added defense against the growth of molds, mildews, and fungi associated with odor and stain-causing bacteria. With Plug & Play feature, this keyboard does not need a specific driver under Windows XP, Vista, 7, 8 and 10.

System Requirements

- Operating System: Microsoft Windows XP, Vista, 7, 8 and 10
- 1 x Free USB Port

Keyboard Buttons

- | | | | |
|-----------------------------|-------------------|----------------------|--------|
| ① Open Windows Media Player | ② Volume Down | ③ Volume Up | ④ Mute |
| ⑤ Stop | ⑥ Previous Track | ⑦ Play/Pause | |
| ⑧ Next Track | ⑨ Email | ⑩ Open the home page | |
| ⑪ Lock the Keyboard | ⑫ Open calculator | | |




Vielen Dank für den Kauf eines Perixx Produkts. Diese Tastatur wurde für den Einsatz in vielen verschiedenen Einrichtungen wie Krankenhäusern, Behörden, Schulen usw. entwickelt. Die antibakterielle Beschichtung bietet Schutz gegen das Wachstum von verschiedenen Schimmelarten und Pilzen, vor Geruchs- und Fleckenbildung – verursacht durch Bakterien.

Systemvoraussetzungen

- Betriebssystem: Microsoft Windows XP, Vista, 7, 8, und 10
- 1 freier USB-Port

Tastatur Multimedia Tasten

- | | | | |
|---------------------------|-----------------|----------------------|---------|
| ① Windows Media Player | ② Leiser | ③ Lauter | ④ Stumm |
| ⑤ Stoppen | ⑥ Letzter Titel | ⑦ Wiedergabe / Pause | |
| ⑧ Nächster Titel | ⑨ E-Mail | ⑩ Startseite | |
| ⑪ Verriegeln der Tastatur | ⑫ Rechner | | |





ESPAÑOL (ES)




Gracias por adquirir un producto PeriXX. Este teclado está diseñado para el uso en muchos entornos diferentes, como tales hospitales, agencias gubernamentales, escuelas etc. El recubrimiento antibacteriano proporciona protección contra el crecimiento de varios tipos de moho y hongos, así como contra el olor y las manchas causadas por bacterias.

Requisitos del sistema

- Sistema operativo: Microsoft Windows XP, Vista, 7, 8 y 10
- 2 puerto USB libre

Teclado

- | | | | |
|------------------------|----------------------|----------------------|------------|
| ① Windows Media Player | ② Volumen - | ③ Volumen + | ④ Silencio |
| ⑤ Detener | ⑥ Título anterior | ⑦ Reproducir / Pausa | |
| ⑧ Título siguiente | ⑨ Correo electrónico | ⑩ Página de inicio | |
| ⑪ Bloqueo del teclado | ⑫ Calculadora | | |





FRANÇAIS (FR)




Nous vous remercions de votre achat d'un produit de Perixx. Ce clavier a été conçu pour une utilisation dans de nombreux endroits différents tels que les hôpitaux, les bureaux gouvernementaux, les écoles, et cetera. La surface du clavier est enrobée par une couche d'antimicrobien, permet d'inhiber efficacement la croissance des bactéries ou des moisissures. En plus, le produit est « Plug and Play » dans le système d'exploitation Windows XP, Vista, 7, 8 et 10. Vous pouvez l'utiliser sans devoir installer de pilotes supplémentaires.

Configuration requise

- Système d'exploitation: Microsoft Windows XP, Vista, 7, 8 et 10
- 1 x port USB libre

Tastatur Multimedia Tasten

- | | | |
|------------------------|--|-----------------------|
| ① Windows Media Player | ② baisser le volume | ③ augmenter le volume |
| ④ muet | ⑤ Arrêtez | ⑥ Piste précédente |
| ⑦ Lecture / Pause | ⑧ Piste suivante | ⑨ Ouvrir l'email |
| ⑩ page d'accueil | ⑪ verrouiller les touches de mon clavier | |
| ⑫ Calculatrice | | |






Grazie per aver acquistato questo prodotto Perixx. Questa tastiera è stata progettata per l'uso in molti ambienti diversi, come ad esempio gli ospedali, enti pubblici, scuole, ecc. Il rivestimento antibatterico fornisce protezione contro la crescita di vari tipi di muffe e funghi, e contro l'odore e le macchie causate da batteri.

Requisiti

- Sistema operativo: Microsoft Windows XP, Vista, 7, 8 e 10
- 1 x porta USB libera

Pulsanti della tastiera

- | | | |
|------------------------|----------------------|----------------------|
| ① Windows Media Player | ② Volume - | ③ Volume + |
| ④ Silenzio | ⑤ Stop | ⑥ Traccia precedente |
| ⑦ Play/Pause | ⑧ Traccia successiva | ⑨ E-mail |
| ⑩ Homepage | ⑪ Blocco tastiera | ⑫ Calcolatrice |



弊社 (PERIXX) の製品を購入して頂きましてありがとうございます。

このキーボードは、等病院、政府機関、学校などの多くの異なる環境で使用するために設計されています。抗菌コーティングは、カビの様々なタイプの成長に対しておよび細菌によって引き起こされる臭いや汚れに対する保護を提供しています。

本製品は簡易にインストール及び操作できるように設計されています。プラグ & プレイ機能のデバイスはWINDOWS XP, VISTA, 7, 8, 10の環境に対応するため、ドライバをインストールすることは必要がありません。


対応機種とOS

—WINDOWS XP/VISTA/7/8/10搭載パソコン

—USBポート (Aタイプコネクタ) を持つ機種

ショートカットキー機能説明

- | | | |
|------------------------------|------------|---------|
| ① Windows Media Player を起動する | ② 音量ダウン | ③ 音量アップ |
| ④ 音量がミュート (消音) | ⑤ 停止 | ⑥ 前一段 |
| ⑦ プレイ/一時停止 | ⑧ 後一段 | ⑨ Eメール |
| ⑩ ホーム | ⑪ キーボードロック | |
| ⑫ 電卓のオープン | | |





简体中文 (SC)

简介


感谢您购买Perixx的产品。本产品可适用在不同的环境下，如医院，政府机关，学校等。键盘表面的抗菌涂层，有效抑制霉菌或是细菌生长。另外，本产品亦支援即插即用，在Windows XP, Vista, 7, 8, 10的作业系统中，本产品不需任何额外的驱动程序即可立即使用。。

系统需求

- 作业系统:微软Windows XP, Vista, 7, 8, 10
- 1个闲置USB端口埠

键盘快捷键

- | | | |
|--------------------------|--------|----------|
| ① 打开Windows Media Player | ② 降低音量 | ③ 增加音量 |
| ④ 静音 | ⑤ 停止 | ⑥ 上一曲目 |
| ⑦ 播放/暂停 | ⑧ 下一曲目 | ⑨ 打开电子邮件 |
| ⑩ 开启浏览器默认主页 | ⑪ 锁定键盘 | ⑫ 打开计算器 |





繁體中文 (TC)

感謝您購買Perixx的產品。本產品可適用在不同的環境下，如醫院，政府機關，學校等。鍵盤表面的抗菌塗層，有效抑制黴菌或是細菌生長。另外，本產品亦支援即插即用，在Windows XP, Vista, 7, 8, 10的作業系統中，本產品不需任何額外的驅動程式即可立即使用。

系統需求

-作業系統:微軟Windows XP, Vista, 7, 8, 10

-1個閒置USB接口

鍵盤多媒體鍵

① 打開Windows Media Player

④ 靜音

⑦ 播放/暫停

⑩ 打開瀏覽器首頁

② 降低音量

⑤ 停止

⑧ 下一首


⑪ 鎖定鍵盤

③ 增加音量

⑥ 上一首

⑨ 打開電子郵件

⑫ 打開計算機



Declaration of Conformity

Manufacturer's Name: Perixx Computer GmbH
Manufacturer's Address: Heerdter Landstrasse 189e, 40549 Düsseldorf, Germany

Declares that the product:


Product Name: Wired Keyboard
Model Name: PERIBOARD-517

Conforms to the following standards:

EN 55032: 2015
EN 55024: 2010+A1:2015

In accordance with the council directive 2014/30/EU

Perixx Computer GmbH



Allen Liang

Date: 18. Sep. 2016

Perixx Computer GmbH

Heerdter Landstrasse 189e
40549 Düsseldorf
Germany

Tel.: +49 - 211 - 56 94 88-0

Fax: +49 - 211 - 56 94 88-22

perixx

VALUE
CREATOR