Cudy 4G Cat 6 AC1200 Wi-Fi Router, LT700E 1.0 WLAN-Router Gigabit Ethernet Dual-Band (2,4 GHz/5 GHz) Weiß

Marke : Cudy

Artikel-Code: LT700E 1.0

Produktname : 4G Cat 6 AC1200 Wi-Fi Router, LT700E 1.0





Cudy 4G Cat 6 AC1200 Wi-Fi Router, LT700E 1.0. WAN-Verbindungstyp: RJ-45. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 5 (802.11ac), WLAN Datentransferrate (max.): 867 Mbit/s. Schnittstellentyp Ethernet-LAN: Gigabit Ethernet, Ethernet LAN Datentransferraten: 10,100,1000 Mbit/s, Verkabelungstechnologie: 10/100/1000Base-T(X). Mobilfunknetzgenerierung: 4G, 2G-Standards: Edge, GSM, 3G-Standards: WCDMA. Unterstützte Sicherheitsalgorithmen: WPA, WPA2, WPA3

WAN-Verbindung	
Ethernet-WAN *	✔
DSL-WAN *	✔
SIM-Karten-Slot *	✔
WAN-Verbindungstyp	RJ-45

Wireless LAN Funktionen	
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)
Top WLAN-Standard *	Wi-Fi 5 (802.11ac)
WLAN Datentransferrate (max.) *	867 Mbit/s
WLAN-Standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN-Datenübertragungsrate (erstes Band)	300 Mbit/s
WLAN-Datenübertragungsrate (zweites Band)	867 Mbit/s

Netzwerk	
Ethernet/LAN *	✔
Schnittstellentyp Ethernet-LAN *	Gigabit Ethernet
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s
Verkabelungstechnologie	10/100/1000Base-T(X)
Portweiterleitung	✔
Port-Auslösung	✔
Dynamisches DNS (DDNS)	✔
VPN-Server	Yes

Mobiles Netzwerk	
Mobilfunknetzgenerierung	4G
Dual-SIM Unterstützung	✘
2G-Standards	Edge, GSM
3G-Standards	WCDMA
4G-Standards	LTE-TDD & LTE-FDD
SIM-Kartentyp	NanoSIM
SMS (Kurznachrichtendienst)	✔

Protokolle	
DHCP-Client	✔
DHCP-Server	✔
Universal Plug and Play (UPnP)	✔
Unterstützte Netzwerkprotokolle	IPv4 / IPv6

Design	
Produktfarbe	Weiß
Wandmontage	✔
LED-Anzeigen	System, WLAN
Produkttyp *	Desktop-/Pol-Router

Zertifikate	
Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC)

Lieferumfang	
Mitgelieferte Kabel	LAN (RJ-45)
Montageset	✔
Schnellinstallationsanleitung	✔

Antenne	
Antennen-Design *	Intern & extern
Antenne Steckertyp	SMA
Antenne Zunahmeniveau (max)	5 dBi
Anzahl der Antennen	4
Entfernbare Antennen	✔

Merkmale	
Speicherkapazität	128 MB
Flash-Speicher	16 MB

Energie	
Energiequelle *	PoE
AC Eingangsspannung	100 - 240 V
AC Eingangsfrequenz	50/60 Hz
Ausgangsspannung	12 V
Ausgangsstrom	1 A

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4
USB Anschluss *	✗
Gleichstrom-Anschluss (DC)	✓

Management-Funktionen	
WLAN-Multimedia (WMM)/(WME)	✓
Wake-on-LAN bereit	✓
Reset-Knopf	✓
WPS Sicherheit per Tastendruck	✓
MU-MIMO-Technologie	✓
MIMO	✓

Sicherheit	
Unterstützte Sicherheitsalgorithmen	WPA, WPA2, WPA3
Gastzugang	✓
DoS Attacken Prävention	✓
MAC Adressen Filtern	✓
IGMP-Snooping	✓
DMZ-Unterstützung	✓

Energie	
Stromverbrauch (Standardbetrieb)	3,6 W

Betriebsbedingungen	
Temperaturbereich bei Lagerung	-40 - 70 °C

Systemanforderung	
Unterstützt Windows-Betriebssysteme	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 2000, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Unterstützte Linux-Betriebssysteme	✓
Unterstützt Mac-Betriebssysteme	✓

Gewicht und Abmessungen	
Breite	190 mm
Tiefe	50 mm
Höhe	148,8 mm
Gewicht	300 g

Verpackungsdaten	
Verpackungsbreite	270 mm
Verpackungstiefe	58 mm
Verpackungshöhe	168 mm
Paketgewicht	595 g

6971690792879

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-NOV-2026. Prints or copies of Information are only valid on the printed Publication date