Cudy AX3000 Gigabit Wi-Fi Access Point, AP3000S 1.0 2976 Mbit/s Weiß Power over Ethernet (PoE)



Marke : Cudy

Artikel-Code: AP3000S 1.0

Produktname : AX3000 Gigabit Wi-Fi Access Point, AP3000S 1.0

Cudy AX3000 Gigabit Wi-Fi Access Point, AP3000S 1.0. 2,4 GHz, 5 GHz, Maximale Datenübertragungsrate: 2976 Mbit/s. Unterstützte Sicherheitsalgorithmen: WPA, WPA2, WPA3. Ethernet LAN Datentransferraten: 100,1000 Mbit/s. Power over Ethernet (PoE). Produktfarbe: Weiß. Stromverbrauch (max.): 12 W



Merkmale	
2,4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maximale Datenübertragungsrate *	2976 Mbit/s
Maximale Datenübertragungsrate (2,4 GHz)	574 Mbit/s
Maximale Datenübertragungsrate (5 GHz)	2402 Mbit/s
Ethernet LAN Datentransferraten	100,1000 Mbit/s
Netzstandard	IEEE 802.3at, IEEE 802.3af
Kanalabstand	160 MHz
MIMO	✔
MIMO-Typ	Multi User MIMO
Spread-Spectrum Methode	OFDMA
Modulation	1024-QAM
WLAN-Multimedia (WMM)/(WME)	✔
Schnelles Roaming	✔
VLAN-Unterstützung	✔
Virtuelle LAN-Funktionen	Tagged VLAN
Kabellose Verdrahtung	✔
Quality of Service (QoS) Support	✔
BeamForming	✔
Maximum Außenabstand	200 m
PPPoE/PPTP/L2TP-Passthrough	✔

Sicherheit	
Unterstützte Sicherheitsalgorithmen *	WPA, WPA2, WPA3
MAC Adressen Filtern	✔
Anzahl der SSID-Unterstützung	8
Gastzugang	✔
IGMP-Snooping	✔

Energie	
Power-over-Ethernet (PoE)-Typ unterstützt	Passive PoE
DC Spannungsrange	48 V
Ausgangsspannung	12 V
Ausgangsstrom	1 A
Stromverbrauch (Standardbetrieb)	2,5 W
Stromverbrauch (max.)	12 W

Design	
Platzierung *	Zimmerdecke, Wand
Produktfarbe *	Weiß
Reset-Knopf	✔
LED-Anzeigen	System

Antenne	
Antennentyp *	Intern
Antennenrichtungsart	Mit kugelförmiger Richtcharakteristik
Anzahl der Antennen	4

Leistungen	
Eingebauter Prozessor	✔
Prozessortaktfrequenz	1200 MHz
Flash-Speicher	128 MB
Speicherkapazität	128 MB

Zertifikate	
Konformitätsbescheinigungen	CE, Eidgenössische Kommunikationskommission (FCC)

Gewicht und Abmessungen	
Breite	171,4 mm
Tiefe	171,4 mm
Höhe	41 mm

Protokolle	
DHCP-Client	✔

Management-Funktionen	
Web-basiertes Management	✔
Syslog	✔

Anschlüsse und Schnittstellen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	1
WAN Port	Ethernet (RJ-45)
Gleichstrom-Anschluss (DC)	✔

Energie	
Power over Ethernet (PoE) *	✔

Verpackungsdaten	
Verpackungsbreite	172 mm
Verpackungstiefe	172 mm
Verpackungshöhe	49 mm

Lieferumfang	
Menge pro Packung	1 Stück(e)
Montageset	✔
Schnellstartübersicht	✔
Mitgelieferte Software	Cudy Software

Betriebsbedingungen	
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Betriebstemperatur	-10 - 65 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Luftfeuchtigkeit bei Lagerung	5 - 90%

Logistikdaten	
Ursprungsland	China

6971690795436

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-NOV-2026. Prints or copies of Information are only valid on the printed Publication date