
TP-Link LS1005 Netzwerk-Switch Unmanaged Fast Ethernet (10/100) Weiß

Marke : TP-Link

Artikel-Code: LS1005

Produktname : LS1005



- 5 x 10/100Mbit/s Auto-Negotiation RJ45 ports unterstützt Auto-MDI/MDIX
- Green-Ethernet-Technologie senkt den Energieverbrauch nach Nutzung
- IEEE 802.3x für zuverlässige Datenflusskontrolle
- Plastisches Gehäuse und kompaktes Desktop-Design
- Plug and Play, keine Konfiguration notwendig
- Lautloser Betrieb dank lüfterlosem Design

LS1005 - 5-Port 10/100Mbit/s
TP-Link LS1005. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Fast Ethernet (10/100), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 5. MAC-Adressentabelle: 2000 Eintragungen, Routing-/Switching-Kapazität: 1 Gbit/s. Netzstandard: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. DC input Spannung: 5 V



Management-Funktionen	
Switch-Typ *	Unmanaged
Anschlüsse und Schnittstellen	
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	5
Basic Switching RJ-45 Ethernet Ports-Typ *	Fast Ethernet (10/100)
Netzwerk	
Netzstandard *	IEEE 802.3i, IEEE 802.3u, IEEE 802.3x
10G-Unterstützung *	✗
Unterstützung Datenflusssteuerung	✓
Auto MDI/MDI-X	✓
Auto-Negotiation-Funktion	✓
Datenübertragung	
Routing-/Switching-Kapazität *	1 Gbit/s
Transferrate	0,7 Mpps
MAC-Adressentabelle *	2000 Eintragungen
Store-and-Forward	✓
Jumbo Frames Unterstützung	✓
Jumbo-Frames	2000
Design	
Rack-Einbau *	✗
Produktfarbe	Weiß
Gehäusematerial	Kunststoff
Internationale Schutzart (IP-Code)	IP20, IP40
Wandmontage	✗

Leistungen	
Ventilatorlos	✓
Energie	
Netzteil enthalten *	✓
DC input Spannung	5 V
Eingangsstrom	0.6 A
Stromverbrauch (max.)	1,65 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✗
Betriebsbedingungen	
Betriebstemperatur	0 - 40 °C
Temperaturbereich bei Lagerung	-40 - 70 °C
Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Luftfeuchtigkeit bei Lagerung	5 - 90%
Wärmeableitung	5,627 BTU/h
Gewicht und Abmessungen	
Breite	83,6 mm
Tiefe	45,7 mm
Höhe	22,8 mm
Lieferumfang	
Schnellstartübersicht	✓
Verpackungsdaten	
Verpackungsart	Box
Zertifikate	
Zertifizierung	CE, RoHS

Logistikdaten	
Warentarifnummer (HS)	85176990

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 24-JUN-2026. Prints or copies of Information are only valid on the printed Publication date